

L Number	Hits	Search Text	DB	Time stamp
63	74628	318/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/01 11:05
64	26857	355/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/01 11:05
65	84940	310/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/01 11:06
66	180644	310/\$.ccls. or 355/\$.ccls. or 318/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/01 11:06
67	75268	bellow	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/01 11:06
68	30327	(cylindrical or cylinder or circular or circle or oval) NEAR2 (magnetic or magnet or ferrite)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/01 11:06
69	408	bellow and ((cylindrical or cylinder or circular or circle or oval) NEAR2 (magnetic or magnet or ferrite))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/01 11:06
70	33	(bellow and ((cylindrical or cylinder or circular or circle or oval) NEAR2 (magnetic or magnet or ferrite))) and (310/\$.ccls. or 355/\$.ccls. or 318/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/01 11:28
71	5	("4798985" "5040431" "5184055" "5280677" "5479145").PN.	USPAT	2003/04/01 11:10
72	7	5701041.URPN.	USPAT	2003/04/01 11:10
73	8	("3854781" "3906262" "4394091" "4628238" "4631404" "4652148" "4667139" "4701651").PN.	USPAT	2003/04/01 11:19
74	8	4798985.URPN.	USPAT	2003/04/01 11:20
76	190288	(air-tight or airtight or (air adj tight) or hermetically or hermetic)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/01 11:29
77	2459	((air-tight or airtight or (air adj tight) or hermetically or hermetic)) with bellow	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/01 11:30
78	36	((air-tight or airtight or (air adj tight) or hermetically or hermetic)) with bellow and (310/\$.ccls. or 355/\$.ccls. or 318/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/01 11:41
79	21	((air-tight or airtight or (air adj tight) or hermetically or hermetic)) with bellow and ((cylindrical or cylinder or circular or circle or oval) NEAR2 (magnetic or magnet or ferrite))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/01 11:45
80	45176	((voice adj coil) or (linear)) adj (actuator or motor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/01 11:59

81	36	(((((voice adj coil) or (linear)) adj (actuator or motor)) and (((air-tight or airtight or (air adj tight) or hermetically or hermetic)) with bellow)) not (((((air-tight or airtight or (air adj tight) or hermetically or hermetic)) with bellow) and (310/\$.ccls. or 355/\$.ccls. or 318/\$.ccls.)) or (((air-tight or airtight or (air adj tight) or hermetically or hermetic)) with bellow) and ((cylindrical or cylinder or circular or circle or oval) NEAR2 (magnetic or magnet or ferrite))) or ((bellow and ((cylindrical or cylinder or circular or circle or oval) NEAR2 (magnetic or magnet or ferrite))) and (310/\$.ccls. or 355/\$.ccls. or 318/\$.ccls.)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/01 11:46
82	0	11041900.URPN.	USPAT	2003/04/01 11:53
83	12199	((((voice adj coil) or (linear)) adj (actuator or motor)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/01 12:01
84	225	(((((voice adj coil) or (linear)) adj (actuator or motor)).ti.) and ((cylindrical or cylinder or circular or circle or oval) NEAR2 (magnetic or magnet or ferrite)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/01 12:01
85	4	("Re32285" "2929671" "3656015" "5590003").PN.	USPAT	2003/04/01 12:09
86	5	5777403.URPN.	USPAT	2003/04/01 12:09
-	40602	bellow and (pressure or pressurized or (air-tight) or (air adj tight) or (airtight))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 11:06
-	265	310/\$.ccls. and (bellow and (pressure or pressurized or (air-tight) or (air adj tight) or (airtight)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 11:06
-	25782	bellow SAME (pressure or pressurized or (air-tight) or (air adj tight) or (airtight))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 11:08
-	134	310/\$.ccls. and (bellow SAME (pressure or pressurized or (air-tight) or (air adj tight) or (airtight)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 11:09
-	26710	bellow SAME (pressure or pressurized or (air-tight) or (air adj tight) or (airtight) or hermeticity or hermetically or hermetic)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 11:10
-	146	310/\$.ccls. and (bellow SAME (pressure or pressurized or (air-tight) or (air adj tight) or (airtight) or hermeticity or hermetically or hermetic))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 16:43
-	0	62144555.URPN.	USPAT	2003/03/31 11:27
-	26710	(bellow SAME (pressure or pressurized or (air-tight) or (air adj tight) or (airtight) or hermeticity or hermetically or hermetic))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 19:03
-	60	((bellow SAME (pressure or pressurized or (air-tight) or (air adj tight) or (airtight) or hermeticity or hermetically or hermetic))) and 318/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 16:50
-	0	20020075469.URPN.	USPAT	2003/03/31 16:50

-	59	((bellow SAME (pressure or pressurized or (air-tight) or (air adj tight) or (airtight) or hermeticity or hermetically or hermetic))) and 355/\$.ccls.) not ((bellow SAME (pressure or pressurized or (air-tight) or (air adj tight) or (airtight) or hermeticity or hermetically or hermetic))) and 318/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 16:57
-	2920	(310/\$.ccls. or 355/\$.ccls. or 318/\$.ccls.) and ((cylindrical or cylinder or circular or circle or oval) NEAR2 (magnetic or magnet or ferrite))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 16:59
-	13	((310/\$.ccls. or 355/\$.ccls. or 318/\$.ccls.) and ((cylindrical or cylinder or circular or circle or oval) NEAR2 (magnetic or magnet or ferrite))) and ((bellow SAME (pressure or pressurized or (air-tight) or (air adj tight) or (airtight) or hermeticity or hermetically or hermetic)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 17:14
-	172	((cylindrical or cylinder or circular or circle or oval) NEAR2 (magnetic or magnet or ferrite)) and ((bellow SAME (pressure or pressurized or (air-tight) or (air adj tight) or (airtight) or hermeticity or hermetically or hermetic))) not ((310/\$.ccls. or 355/\$.ccls. or 318/\$.ccls.) and ((cylindrical or cylinder or circular or circle or oval) NEAR2 (magnetic or magnet or ferrite))) and ((bellow SAME (pressure or pressurized or (air-tight) or (air adj tight) or (airtight) or hermeticity or hermetically or hermetic)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 18:10
-	3	("4950956" "5880034" "6245190").PN.	USPAT	2003/03/31 17:20
-	0	6514377.URPN.	USPAT	2003/03/31 17:20
-	20	5263871.URPN.	USPAT	2003/03/31 17:42
-	5	300521.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 18:19
-	19	("4473292" "4927119" "4976415" "5121898" "5193788" "5356110" "5446519" "5502899" "5549269" "5610686" "5765800" "5876012" "5881987" "5931441" "5979882" "6021991" "6036162" "6082508" "6170622").PN.	USPAT	2003/03/31 18:11
-	0	6512571.URPN.	USPAT	2003/03/31 18:11
-	6	("4760996" "4848525" "5219051" "5249783" "5305981" "5318156").PN.	USPAT	2003/03/31 18:13
-	2	5979882.URPN.	USPAT	2003/03/31 18:13
-	172	(force adj actuator).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 18:19
-	5	((force adj actuator).ti.) and ((bellow SAME (pressure or pressurized or (air-tight) or (air adj tight) or (airtight) or hermeticity or hermetically or hermetic))) or ((cylindrical or cylinder or circular or circle or oval) NEAR2 (magnetic or magnet or ferrite)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 18:47
-	8	("2533187" "2690529" "3149255" "4422060" "4785816" "4928028" "5434549" "5719451").PN.	USPAT	2003/03/31 18:21
-	4	5896076.URPN.	USPAT	2003/03/31 18:21
-	1791	(air adj spring).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 18:47

-	2	((air adj spring).ti.) and ((cylindrical or cylinder or circular or circle or oval). NEAR2 (magnetic or magnet or ferrite))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 18:49
-	2130	(bellow SAME (pressure or pressurized or (air-tight) or (air adj tight) or (airtight) or hermeticity or hermetically or hermetic)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 18:55
-	93	((bellow SAME (pressure or pressurized or (air-tight) or (air adj tight) or (airtight) or hermeticity or hermetically or hermetic)).ti.) and (magnet or magnetic or ferrite)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 19:04
-	1488616	fabrication or wafer or lithography or semiconductor lithographic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 19:03
-	2594	((bellow SAME (pressure or pressurized or (air-tight) or (air adj tight) or (airtight) or hermeticity or hermetically or hermetic))) and (fabrication or wafer or lithography or semiconductor lithographic)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 19:03
-	3050749	(pressure or pressurized or (air-tight) or (air adj tight) or (airtight) or hermeticity or hermetically or hermetic)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 19:03
-	767	((((bellow SAME (pressure or pressurized or (air-tight) or (air adj tight) or (airtight) or hermeticity or hermetically or hermetic))) and (fabrication or wafer or lithography or semiconductor lithographic)) and (magnet or magnetic or ferrite)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/31 19:04
-	329	(((((bellow SAME (pressure or pressurized or (air-tight) or (air adj tight) or (airtight) or hermeticity or hermetically or hermetic))) and (fabrication or wafer or lithography or semiconductor lithographic)) and (magnet or magnetic or ferrite)) and stage	USPAT; US-PGPUB; DERWENT	2003/03/31 19:20
-	45	(((((bellow SAME (pressure or pressurized or (air-tight) or (air adj tight) or (airtight) or hermeticity or hermetically or hermetic))) and (fabrication or wafer or lithography or semiconductor lithographic)) and (magnet or magnetic or ferrite)) and (310/\$.ccls. or 355/\$.ccls. or 318/\$.ccls.)	USPAT; US-PGPUB; DERWENT	2003/03/31 19:35
-	1	(5765800.pn.) and magnetic	USPAT; US-PGPUB; DERWENT	2003/03/31 19:35